Revision Date: 05/27/2014 Z17000000021/Version: 1.8 Print Date: 12/22/2016 **Kodak** alaris

Page: 1/9

1. Identification of the substance/mixture and of the company/undertaking

Product name: KODAK PHOTO-FLO 200 Solution

Product code: 1464510

Synonyms: PCD 3107

Relevant identified uses of the substance or mixture and uses advised against:

Identified uses: Film or paper manufacturing chemical. For industrial use only.

Supplier: Kodak Alaris Inc., 2400 Mount Read Boulevard, Rochester, NY 14615

IN EMERGENCY, telephone: 1-800-424-9300 or +1 703-527-3887.

For further information about this product, email EHS-Questions@Kodakalaris.com.

2. Hazards identification

Classification of the chemical in accordance with paragraph (d) of 29 CFR 1910.1200:

Hazard class Hazard category Route of exposure

Eye irritation Category 2B ---

GHS-Labelling

Contains:

Octylphenoxypolyethoxyethanol (9036-19-5)

Signal word: Warning

Hazard statements: Causes eye irritation.

Precautionary statements:

Prevention: Keep container tightly closed. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product.

Response: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.

Storage: Store in a well-ventilated place. Keep cool.

Revision Date: 05/27/2014 Z17000000021/Version: 1.8 Print Date: 12/22/2016

Page: 2/9

Disposal: Dispose of contents/container in accordance with local/regional/national/international

regulation.

HMIS III Hazard Ratings: Health - 2, Flammability - 1, Physical Hazard - 0

NFPA Hazard Ratings: Health - 2, Flammability - 1, Instability - 0

NOTE: HMIS III and NFPA 704 (2007) hazard indexes involve data review and interpretation that may vary among companies. They are intended only for rapid, general identification of the magnitude of the potential hazards. To adequately address safe handling, ALL information in this MSDS must be considered.

3. Composition/information on ingredients

Weight	Components - (CAS-No.)	
percent		
25 - 30	Propylene glycol (57-55-6)	
5 - 10	Octylphenoxypolyethoxyethanol (9036-19-5)	

4. First aid measures

Inhalation: If inhaled, remove to fresh air. Get medical attention if symptoms occur.

Eyes: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.

Skin: Wash off with soap and water. Get medical attention if symptoms occur.

Ingestion: Get medical attention if symptoms occur.

Most important symptoms and effects, both acute and delayed: No information available.

Indication of any immediate medical attention and special treatment needed:

Treatment: No information available.

5. Firefighting measures

Extinguishing Media: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special hazards arising from the substance or mixture Hazardous Combustion Products: Carbon oxides

Revision Date: 05/27/2014 Z17000000021/Version: 1.8 Print Date: 12/22/2016

Page: 3/9

Special Fire-Fighting Procedures: Wear self-contained breathing apparatus and protective clothing.

Unusual Fire and Explosion Hazards: None.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Refer to protective measures listed in sections 7 and 8.

Methods and materials for containment and cleaning up: Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Clean surface thoroughly to remove residual contamination.

Environmental precautions: No information available.

7. Handling and storage

Precautions for safe handling

Personal precautions: Avoid prolonged or repeated breathing of mist or vapour. Use only with adequate ventilation. Avoid contact with eyes, skin, and clothing. Wash thoroughly after handling. Do not eat, drink or smoke when using this product.

Prevention of Fire and Explosion: Keep from contact with oxidizing materials.

Conditions for safe storage, including any incompatibilities: Keep container tightly closed. Keep away from incompatible substances (see Incompatibility section.)

8. Exposure controls/personal protection

Occupational exposure controls: Not established

Appropriate engineering controls: Good general ventilation should be used. Ventilation should be sufficient so that applicable occupational exposure limits are not exceeded. Ventilation rates should be matched to conditions. Supplementary local exhaust ventilation, closed systems, or respiratory protection may be needed in special circumstances.

Individual protection measures, such as personal protective equipment

Eye protection: Wear eye/face protection.

Hand protection: Wear protective gloves.

Respiratory protection: None should be needed.

Revision Date: 05/27/2014 Z17000000021/Version: 1.8 Print Date: 12/22/2016

Page: 4/9

9. Physical and chemical properties

Physical form: liquid

Colour: colourless

Odour: odourless

Specific gravity: 1.028

Vapour pressure (at 20.0 °C (68.0 °F)): 24 mbar (18.0 mm Hg)

Vapour density: 0.6

Boiling point/boiling range: > 100 °C (> 212.0 °F)

Water solubility: complete

pH: 7.0

Flash point: does not flash

Evaporation rate: No data available

Flammability (Solid; gas): No data available

Upper explosion limit: No data available

Lower explosion limit: No data available

Partition coefficient: n-octanol/water: No data available

Auto-ignition temperature: No data available

Decomposition temperature: No data available

Viscosity: No data available

Explosive properties: No data available

Oxidizing properties: No data available

10. Stability and reactivity

Revision Date: 05/27/2014 Z17000000021/Version: 1.8 Print Date: 12/22/2016

Page: 5/9

Reactivity: No data available

Chemical stability: Stable under normal conditions.

Possibility of hazardous reactions: Hazardous polymerisation does not occur.

Conditions to avoid: No data available

Incompatible materials: Strong oxidizing agents.

Hazardous decomposition products: None under normal conditions of use.

11. Toxicological information

Effects of Exposure

General advice:

Contains: Octylphenoxypolyethoxyethanol. The toxicological properties of this material have not been fully investigated and its handling and use may be hazardous.

Inhalation: Expected to be a low hazard for recommended handling.

Eyes: Causes eye irritation.

Skin: Expected to be a low hazard for recommended handling.

Ingestion: Expected to be a low ingestion hazard.

Acute Toxicity Data:

Oral LD50 (rat): 5,000 mg/kg
Skin irritation: slight
Eye irritation: moderate

Carcinogenicity

American Conference of Governmental Industrial Hygienists

(ACGIH):

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

International Agency for Research on Cancer (IARC):

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human

Revision Date: 05/27/2014 Z17000000021/Version: 1.8 Print Date: 12/22/2016

Page: 6/9

carcinogen by IARC.

U.S. National Toxicology Program (NTP):

No component of this product present

at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

U.S. Occupational Safety and Health Administration

(OSHA):

No component of this product present at levels greater than or equal to

0.1% is identified as a carcinogen or potential carcinogen by OSHA.

California Prop. 65

This product does not contain any chemicals known to State of

California to cause cancer, birth defects, or any other reproductive

harm.

12. Ecological information

This material has not been tested for environmental effects.

The following properties are ESTIMATED from the components of the preparations.

Potential Toxicity:

Toxicity to fish (LC50): 10 - 100 mg/l

Toxicity to daphnia: 10 - 100 mg/l

Toxicity to algae: 1 - 10 mg/l

Persistence and degradability: Not readily biodegradable.

Chemical Oxygen Demand (COD): ca. 201 g/l

Biochemical Oxygen Demand (BOD): ca. 377 g/l

Bioaccumulative potential

No data available

Mobility in soil

No information available.

Revision Date: 05/27/2014 Z17000000021/Version: 1.8 Print Date: 12/22/2016

Page: 7/9

13. Disposal considerations

Discharge, treatment, or disposal may be subject to federal, state, commonwealth, provincial, or local laws. Since emptied containers retain product residue, follow label warnings even after container is emptied.

14. Transport information

Not regulated for all modes of transportation.

For more transportation information, go to: www.kodak.com/go/ship.

15. Regulatory information

Notification status

Regulatory List	Notification status
TSCA	All listed
DSL	All listed
NDSL	None listed
EINECS	Not all listed
ELINCS	None listed
NLP	Listed
AICS	All listed
IECS	All listed
ENCS	All listed
ECI	All listed
NZIoC	All listed
PICCS	All listed

[&]quot;Not all listed" indicates one or more component is either not on the public Inventory or is subject to exemption requirements. If additional information is needed contact Kodak.

Other regulations

U.S. - CERCLA/SARA (40 CFR § 302.4 Designation of hazardous substances):

No components of this product are subject to the SARA Section 302 (40 CFR 302.4) reporting

Revision Date: 05/27/2014 Z17000000021/Version: 1.8 Print Date: 12/22/2016

Page: 8/9

requirements. U.S. - CERCLA/SARA - Section 302 (40 CFR § 355 No components of this product are Appendices A and B - The List of Extremely Hazardous subject to the SARA Section 302 Substances and Their Threshold Planning Quantities): (40 CFR 355) reporting requirements. U.S. - CERCLA/SARA - Section 313 (40 CFR § 372.65 No components of this product are Toxic Chemical Release Reporting): subject to the SARA Section 313 (40 CFR 372.65) reporting requirements. U.S. - California - 8 CCR Section 339 - Director's List of Octylphenoxypolyethoxyethanol Hazardous Substances: U.S. - California - 8 CCR Section 5200-5220 - Specifically No components found on the California Regulated Carcinogens: Specifically Regulated Carcinogens List. U.S. - California - 8 CCR Section 5203 Carcinogens: No components found on the California Section 5203 Carcinogens List. U.S. - California - 8 CCR Section 5209 Carcinogens: No components found on the California Section 5209 Carcinogens List. U.S. - Massachusetts - General Law Chapter 111F (MGL c No components regulated under the 111F) - Hazardous Substances Disclosure by Massachusetts Hazardous Employers (a.k.a. Right to Know Law): Substances Disclosure by Employers Law. U.S. - Minnesota Employee Right-to-Know (5206.0400, Propylene glycol Subpart 5. List of Hazardous Substances): U.S. - New Jersey - Worker and Community Right to Know Propylene glycol Act (N.J.S.A. 34:5A-1): U.S. - Pennsylvania - Part XIII. Worker and Community Water, Propylene glycol, Right-to-Know Act (Chapter 323 Hazardous Substance Octylphenoxypolyethoxyethanol List, Appendix A):

16. Other information

The data below reflects current legislative requirements whereas the product in your possession may carry a different version of the label depending on the date of manufacture.

US/Canadian Label Statements:

KODAK PHOTO-FLO 200 Solution

Contains:

Revision Date: 05/27/2014 Z17000000021/Version: 1.8 Print Date: 12/22/2016

Page: 9/9

Octylphenoxypolyethoxyethanol (9036-19-5)

Signal word: Warning

Hazard statements: Causes eye irritation.

Precautionary statements:

Prevention: Keep container tightly closed. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product.

Response: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.

Storage: Store in a well-ventilated place. Keep cool.

Disposal: Dispose of contents/container in accordance with local/regional/national/international regulation.

FIRST AID: If inhaled, remove to fresh air. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention. Wash off with soap and water. Get medical attention if symptoms occur. Keep out of reach of children. Do not handle or use until safety precautions in Material Safety Data Sheet (MSDS) have been read and understood. Since emptied containers retain product residue, follow label warnings even after container is emptied. **IN CASE OF FIRE:** Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. **IN CASE OF SPILL:** Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Clean surface thoroughly to remove residual contamination. Additional Components Include: Water (7732-18-5), Propylene glycol (57-55-6), Polyethylene glycol (25322-68-3).

The information contained herein is furnished without warranty of any kind. Users should consider these data only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use and disposal of these materials and the safety and health of employees and customers and the protection of the environment. The information relating to the working solution is for guidance purposes only, and is based on correct mixing and use of the product according to instructions.